## Safety Data Sheet

			C.	ection 1 - Pr	oduct Infor	mation					
December 1 November 1			3	ection 1 - Pi	oduct iiiioi	IIIatioii	Constitut	Lutana Chariat Canasa			
	e: oven monster		l. c			Supplier:	Intercon Chemical Company				
				none:1-314-771-6600		Address:	1100 Central Industrial Drive				
roduct use: High foaming Alkaline Detergent Emergency Cor							St. Louis MO 63110				
			56	ection 2 - Ha	zard identii	rication					
GHS Classificat	tion: Skin Corrosio	n Category 1B, Eye	corrosive Catego	-							
	Hazard	Dictograms		Section 2.1	- Label Elen		tionary Statome	ontr:			
Hazard Pictograms				Precautionary Statements:  Wear protective gloves and eye protection. Wash thoroughly after handling. Do not breathe mist or du							
				1		-		thing. Rinse skin with water. Wash			
				contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contacts if present and easy to do.							
Causes sever	Hazard S e skin burns and e	Statements: ve damage. Harmf	ul if swallowed.		IF INHALED: Remove to fresh air and keep at rest position comfortable for breathing.						
		,		Immediately ca	ll a POISON CEN	ITER or physicia	n.				
					•						
				Section 3	- Composit			I			
Chemical Name				CAS#			Percent w/w				
Sodium Hydro	xide				1310	)-73-2		15			
			9	Section 4 - F	irst Aid Mea	asures					
F ON SKIN(or	hair): Remove imn	nediately all contai	minated clothing	. Rinse skin with	water. Wash co	ntaminated clot	hing before reus	se.			
F IN EYES: Rin	se cautiously with	water for several r	minutes. Remove	contacts if prese	ent and easy to	do. Continue rin	sing.				
F SWALLOWE	D: Rinse mouth, D	o NOT induce vom	iting.								
F INHALED: Re	emove to fresh air	and keep at rest p	osition comforta	ble for breathing							
	all a POISON CENT										
			Section	ո 5 - Fire and	Explosion	<b>Hazard Dat</b>	a				
Flash Point:	Li	mits		tinguishing Media:		Special Fire Fighting Procedures: Avoid exposure to fumes or vapors.					
None	LEL: NA		Water spray or fog, foam,dry chemical, ca			wear self-contained positive pressurized breathing apparatus					
10.10			dioxide or alco	ol foam, if product involved.		MSHA/NIOSH Approved or equivalent to maintain TLV. UNUSUAL F EXPLOSION HAZARD: Product will not burn.					
	UEL: NA				EAFLOSION						
				n 6 - Accide							
leutralize witl	h dilute acid, or so	dium bicarbonate.	Mop up and flus	sh to sewer with	plenty of water.						
			Se	ection 7 - Ha	ndling and	Storage					
tore locked u	p. Store upright in	original closed cor									
			So	ction 8 - Exp	osure Cont	rols/DDF					
la e	radiont	OSHA PEL:	ACGIH TLV	CHOIL 6 - EXP		1013/FFE		onoral Hugiona Cansidanstiana			
	redient		2mg/m <sup>3</sup>	Demiretee	PPE	autro d		eneral Hygiene Considerations: ordance with good industrial hygiene and			
Sodium Hydro	xide 2mg/m <sup>3</sup>		21118/111		not normally required			s. Provide suitable facilities for quick			
				†	safety glasses, t		drenching or fl	ushing of the eyes and body in case of			
			1		Apron, alkali pr		contact or spla	sh hazard.			
			1	I Ventilation	Normal room v	ontilation	1				

			Section	9 - Physical	and Chemic	cal Properti	es				
ppearance	odor	odor threshold	рН	Melting Point	Boiling point	Evaporation rate	Flammability	Upper/lower flammability limits	Vapor pressure		
ellow liquid	none	NE	14	NE	212ºF	>1(water =1)	NA	NA	17mm Hg		
apor Density	Density	Specific Gravity	pH(1% dil)	Solubility	Partition coefficient	Auto Ignition temp	Viscosity	Decomposition Temp			
0.62(air =1)	10.00 lbs/gal	1.2	12.5	100% in water	NE	NA	thin	NE			
			Sec	tion 10 - Sta	bility and R	Reactivity					
			Sacti	ion 11- Toyi	cological In	formation					
		I	Jecu	IOII TT- IOXI	Cological III	lormation			T		
ingre	dient	Acute toxicity(oral LD50) rat	Acute toxicity(derm. LD50)rabbit	Skin and Eye	Carcinogen	Mutagen	Reproduct. Toxicity	STOST -single Exposure	STOST Repeated exposure		
odium Hydrox	de	200mg/kg	1350mg/kg	corrosive	Not listed	No Info	No info	No info	No info		
Section 12 - Ecological Information  No information available						Section 13 - Disposal Considerations  Products covered by this SDS, in their original form, are considered corrosive hazardou waste according to RCRA(40 CFR 261). Dispose of in accordance with applicable Federa State and Local regulations.					
					ansport Info	ormation			T		
			tion(DOT)			Class	Packing Group	LTD QT			
JN number							0		41:44		
UN number UN1719		Caustic Alkali I	-	ntains sodium h	gulatory Inf		8	II	< 1Lite		

## Section 16 - Other Information

WHMIS: E
Date Prepared: 04-09-2015

HMIS: Health - 3 Flam. - 0 R - 1 PPE- C

Prepared by: Environmental, Health and Safety Administrator.

The information provided in this Safety Data Sheet is correct to the best of our knowledge and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with materials or in any process, unless specified in the text.

Legend for Abbreviations: NA - not applicable NE - Not Established